| | National (ACS | | | | | |
|---|---------------|----------|------------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | |
| Patient Profile Indicators | etc.) | Nation | AK | AL | AR | AS |
| % Uninsured | 10.5% | 22.62% | 19.43% | 45.39% | 17.67% | 0.00% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 37.69% | 28.60% | 39.21% | 100.00% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 81.84% | 96.43% | 84.60% | 100.00% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 61.40% | 60.27% | 39.57% | 98.81% |
| % Hispanic or Latino | 17.6% | 36.27% | 4.93% | 10.61% | 14.28% | 0.00% |
| % Best served in another language | 8.5% | 23.63% | 4.40% | 8.30% | 11.67% | 10.52% |
| % Homeless | 0.2% | 4.98% | 1.57% | 5.76% | 2.39% | 0.00% |
| % Agricultural | 0.8% | 3.51% | 0.34% | 3.47% | 0.68% | 0.00% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 10.78% | 11.84% | 8.18% | 0.00% |
| % School-based | | 2.89% | 0.09% | 2.80% | 5.41% | 0.00% |
| % Veterans | 7.7% | 1.36% | 5.52% | 0.99% | 1.74% | 0.00% |
| | National (HP | | | | | |
| | 2020, CDC, | 2018 UDS | | | | |
| Quality of Care Indicators | etc.) | Nation | AK | AL | AR | AS |
| % total patients receiving medical services | | 83.96% | 87.95% | 91.62% | 93.75% | 98.31% |
| % total patients receiving dental services | | 22.57% | 34.71% | 17.05% | 12.21% | 21.72% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.9 | 2.9 | 3.2 | 1.7 |
| % Early access to prenatal care | 77.1% | 73.82% | 77.56% | 63.60% | 68.62% | 57.22% |
| % Low birth weight | 8.3% | 8.00% | 7.61% | 11.30% | 8.26% | 3.80% |
| % Childhood immunizations | | 39.44% | 32.60% | 23.34% | 36.46% | 58.57% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 28.42% | 64.11% | 70.52% | 0.00% |
| % Adult weight screening and follow-up | | 70.15% | 38.62% | 70.17% | 84.19% | 11.43% |
| % Tobacco use screening and cessation services | | 88.09% | 76.61% | 84.10% | 95.57% | 10.00% |
| % Depression screening and follow-up | | 70.57% | 56.75% | 67.38% | 70.65% | 41.43% |
| % Cervical cancer screening | 93%* | 55.95% | 45.81% | 36.13% | 37.07% | 14.29% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 33.65% | 26.41% | 38.79% | 0.00% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% | 86.18% | 95.92% | |
| % Controlled hypertension | 61.2%* | 63.26% | 56.17% | 50.44% | 57.76% | 50.00% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 33.67% | 36.30% | 25.11% | 88.57% |
| % Dental sealants | 28.1%* | 52.80% | 71.17% | 44.09% | 40.37% | 4.44% |
| | | 2018 UDS | | | | |
| Service Delivery Indicators | | Nation | AK | AL | AR | AS |
| % growth in total patients | | 4.44% | (0.27%) | 6.55% | 5.92% | 3.86% |
| Primary care physicians average years of tenure | | 5.7 | 4.4 | 4.7 | 4.9 | 0.7 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 37.24% | 34.62% | 34.97% | 40.37% |
| Medical cost per medical patient | | \$623.22 | \$1,390.49 | \$452.00 | \$542.29 | \$153.17 |
| Medical cost per medical visit | | \$199.78 | \$485.26 | \$157.91 | \$171.22 | \$89.01 |
| Dental cost per dental patient | | \$539.45 | \$844.60 | \$275.28 | \$603.84 | \$113.90 |
| Dental cost per dental visit | | \$209.08 | \$341.41 | \$134.34 | \$248.95 | \$54.63 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | AZ | CA | со | СТ | DC |
| % Uninsured | 10.5% | 22.62% | 16.56% | 18.93% | 22.94% | 16.73% | 15.06% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 45.69% | 66.43% | 55.01% | 61.67% | 66.93% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 89.82% | 94.84% | 92.22% | 91.23% | 89.33% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 65.31% | 81.18% | 67.43% | 79.58% | 96.67% |
| % Hispanic or Latino | 17.6% | 36.27% | 50.95% | 61.89% | 52.73% | 50.74% | 34.26% |
| % Best served in another language | 8.5% | 23.63% | 19.61% | 35.01% | 27.86% | 24.72% | 33.55% |
| % Homeless | 0.2% | 4.98% | 4.67% | 6.88% | 4.91% | 4.01% | 6.30% |
| % Agricultural | 0.8% | 3.51% | 1.84% | 9.92% | 2.30% | 0.30% | 0.02% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 3.81% | 4.95% | 6.04% | 19.99% | 2.70% |
| % School-based | | 2.89% | 1.13% | 2.45% | 4.20% | 5.91% | 0.40% |
| % Veterans | 7.7% | 1.36% | 2.32% | 0.84% | 1.51% | 0.74% | 0.70% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | AZ | CA | СО | СТ | DC |
| % total patients receiving medical services | | 83.96% | 91.99% | 84.16% | 91.48% | 82.95% | 91.29% |
| % total patients receiving dental services | | 22.57% | 15.64% | 24.40% | 23.80% | 27.90% | 20.73% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 3.0 | 3.6 | 3.1 | 3.3 | 3.3 |
| % Early access to prenatal care | 77.1% | 73.82% | 75.13% | 78.04% | 79.48% | 78.52% | 61.25% |
| % Low birth weight | 8.3% | 8.00% | 6.18% | 6.67% | 9.00% | 7.17% | 8.66% |
| % Childhood immunizations | | 39.44% | 39.56% | 39.21% | 43.02% | 67.62% | 53.33% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 69.88% | 69.86% | 66.99% | 77.38% | 79.97% |
| % Adult weight screening and follow-up | | 70.15% | 66.71% | 71.78% | 62.04% | 69.65% | 68.36% |
| % Tobacco use screening and cessation services | | 88.09% | 88.44% | 89.84% | 90.64% | 90.76% | 87.97% |
| % Depression screening and follow-up | | 70.57% | 80.94% | 69.37% | 67.09% | 75.34% | 69.08% |
| % Cervical cancer screening | 93%* | 55.95% | 53.18% | 60.59% | 58.56% | 57.60% | 66.05% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 45.27% | 45.73% | 40.16% | 52.10% | 45.95% |
| % HIV linkage to care | 90%* | 85.55% | 82.76% | 86.52% | 89.83% | 94.83% | 91.93% |
| % Controlled hypertension | 61.2%* | 63.26% | 63.22% | 65.63% | 68.05% | 64.73% | 61.58% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 34.43% | 35.00% | 32.89% | 29.41% | 38.75% |
| % Dental sealants | 28.1%* | 52.80% | 60.66% | 54.37% | 52.69% | 67.38% | 37.88% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | AZ | CA | СО | СТ | DC |
| % growth in total patients | | 4.44% | 4.84% | 6.34% | 2.89% | 1.42% | 3.63% |
| Primary care physicians average years of tenure | | 5.7 | 5.1 | 5.5 | 5.9 | 5.0 | 5.5 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 34.87% | 35.48% | 30.85% | 32.82% | 32.40% |
| Medical cost per medical patient | | \$623.22 | \$626.20 | \$789.41 | \$611.61 | \$669.08 | \$725.43 |
| Medical cost per medical visit | | \$199.78 | \$208.49 | \$219.20 | \$195.25 | \$203.81 | \$217.81 |
| Dental cost per dental patient | | \$539.45 | \$612.17 | \$662.08 | \$526.03 | \$440.67 | \$486.96 |
| Dental cost per dental visit | | \$209.08 | \$263.95 | \$212.39 | \$215.55 | \$177.35 | \$190.91 |

| | National (ACS | | <i>.</i> | | | | |
|---|---------------|----------|----------|----------|---------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | DE | FL | FM | GA | GU |
| % Uninsured | 10.5% | 22.62% | 30.86% | 36.68% | 68.54% | 36.20% | 15.58% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 38.21% | 37.82% | 5.23% | 27.52% | 80.49% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 96.25% | 92.53% | 99.67% | 89.77% | 99.05% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 77.68% | 69.69% | 99.68% | 66.71% | 99.22% |
| % Hispanic or Latino | 17.6% | 36.27% | 40.64% | 40.58% | 0.00% | 14.71% | 0.00% |
| % Best served in another language | 8.5% | 23.63% | 36.55% | 24.27% | 97.36% | 13.16% | 37.95% |
| % Homeless | 0.2% | 4.98% | 1.56% | 5.60% | 0.00% | 3.40% | 0.51% |
| % Agricultural | 0.8% | 3.51% | 2.14% | 3.34% | 0.00% | 3.85% | 0.00% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 0.00% | 19.79% | 0.00% | 2.64% | 0.00% |
| % School-based | | 2.89% | 0.62% | 4.74% | 0.00% | 4.01% | 0.00% |
| % Veterans | 7.7% | 1.36% | 1.08% | 0.73% | 0.00% | 1.07% | 0.28% |
| | National (HP | 1.50/0 | 1.0070 | 0.7370 | 0.0070 | 2.0770 | 0.2070 |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | DE | FL | FM | GA | GU |
| % total patients receiving medical services | | 83.96% | 89.62% | 81.04% | 91.64% | 91.60% | 100.00% |
| % total patients receiving dental services | | 22.57% | 19.09% | 23.97% | 8.98% | 11.73% | 0.00% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.7 | 2.8 | 2.5 | 2.7 | 1.4 |
| % Early access to prenatal care | 77.1% | 73.82% | 63.65% | 61.66% | 35.79% | 61.57% | 22.71% |
| % Low birth weight | 8.3% | 8.00% | 5.14% | 8.31% | 9.09% | 11.97% | 15.14% |
| % Childhood immunizations | | 39.44% | 41.54% | 36.22% | 46.82% | 27.11% | 45.71% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 75.01% | 79.03% | 56.22% | 63.05% | 22.86% |
| % Adult weight screening and follow-up | | 70.15% | 79.58% | 81.28% | 55.97% | 74.47% | 47.14% |
| % Tobacco use screening and cessation services | | 88.09% | 91.25% | 89.59% | 50.95% | 85.60% | 80.00% |
| % Depression screening and follow-up | | 70.57% | 62.94% | 77.55% | 58.35% | 81.91% | 67.14% |
| % Cervical cancer screening | 93%* | 55.95% | 76.84% | 59.22% | 31.02% | 45.97% | 40.00% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 69.02% | 44.30% | 2.51% | 33.47% | 45.71% |
| % HIV linkage to care | 90%* | 85.55% | 81.25% | 82.03% | | 80.00% | 100.00% |
| % Controlled hypertension | 61.2%* | 63.26% | 62.35% | 60.50% | 64.37% | 58.40% | 54.29% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 42.92% | 33.29% | 82.45% | 38.11% | 50.00% |
| % Dental sealants | 28.1%* | 52.80% | 23.27% | 53.82% | 58.50% | 39.21% | |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | DE | FL | FM | GA | GU |
| % growth in total patients | | 4.44% | (1.78%) | 3.73% | 6.29% | 11.52% | (11.91%) |
| Primary care physicians average years of tenure | | 5.7 | 5.6 | 4.7 | 3.4 | 5.4 | 6.0 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 37.40% | 35.96% | 32.14% | 34.53% | 39.26% |
| Medical cost per medical patient | | \$623.22 | \$494.81 | \$459.42 | \$74.44 | \$449.02 | \$404.39 |
| Medical cost per medical visit | | \$199.78 | \$180.82 | \$166.06 | \$29.92 | \$166.77 | \$287.68 |
| Dental cost per dental patient | | \$539.45 | \$716.98 | \$413.50 | \$96.86 | \$409.02 | |
| Dental cost per dental visit | | \$209.08 | \$242.79 | \$171.28 | \$72.97 | \$187.95 | |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | HI | IA | ID | IL | IN |
| % Uninsured | 10.5% | 22.62% | 13.57% | 22.20% | 32.02% | 21.00% | 17.72% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 55.11% | 48.01% | 27.45% | 57.06% | 54.22% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 85.12% | 93.04% | 88.89% | 94.51% | 90.68% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 82.77% | 47.47% | 34.46% | 75.82% | 54.37% |
| % Hispanic or Latino | 17.6% | 36.27% | 10.64% | 23.40% | 25.30% | 36.70% | 18.94% |
| % Best served in another language | 8.5% | 23.63% | 11.49% | 19.73% | 9.96% | 20.49% | 14.35% |
| % Homeless | 0.2% | 4.98% | 5.27% | 4.62% | 3.43% | 3.05% | 2.07% |
| % Agricultural | 0.8% | 3.51% | 0.72% | 0.75% | 5.55% | 0.69% | 0.32% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 9.54% | 19.03% | 0.71% | 10.96% | 5.30% |
| % School-based | | 2.89% | 1.20% | 0.24% | 0.37% | 2.60% | 3.03% |
| % Veterans | 7.7% | 1.36% | 2.02% | 1.67% | 3.82% | 0.99% | 0.91% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | HI | IA | ID | IL | IN |
| % total patients receiving medical services | | 83.96% | 79.04% | 74.02% | 81.68% | 90.86% | 90.84% |
| % total patients receiving dental services | | 22.57% | 30.12% | 36.27% | 22.57% | 13.46% | 11.74% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 3.5 | 3.1 | 3.1 | 3.0 | 2.8 |
| % Early access to prenatal care | 77.1% | 73.82% | 69.97% | 71.64% | 78.69% | 75.26% | 66.79% |
| % Low birth weight | 8.3% | 8.00% | 7.89% | 6.60% | 7.58% | 8.99% | 8.35% |
| % Childhood immunizations | | 39.44% | 37.42% | 42.17% | 36.76% | 32.01% | 25.99% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 65.54% | 79.74% | 47.96% | 76.81% | 69.71% |
| % Adult weight screening and follow-up | | 70.15% | 68.36% | 81.78% | 63.72% | 75.87% | 69.61% |
| % Tobacco use screening and cessation services | | 88.09% | 86.00% | 92.16% | 86.11% | 86.92% | 86.56% |
| % Depression screening and follow-up | | 70.57% | 66.28% | 79.05% | 67.55% | 77.70% | 61.95% |
| % Cervical cancer screening | 93%* | 55.95% | 53.37% | 59.89% | 50.09% | 60.80% | 51.10% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 39.06% | 49.40% | 36.87% | 42.58% | 39.24% |
| % HIV linkage to care | 90%* | 85.55% | 66.67% | 92.11% | 80.00% | 92.77% | 90.91% |
| % Controlled hypertension | 61.2%* | 63.26% | 61.23% | 72.28% | 63.57% | 62.09% | 60.49% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 35.30% | 29.64% | 33.20% | 33.89% | 33.51% |
| % Dental sealants | 28.1%* | 52.80% | 54.81% | 64.80% | 46.42% | 58.54% | 56.91% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | HI | IA | ID | IL | IN |
| % growth in total patients | | 4.44% | 1.07% | 6.67% | 8.75% | 2.66% | 4.47% |
| Primary care physicians average years of tenure | | 5.7 | 6.1 | 4.4 | 3.9 | 5.2 | 4.6 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 34.91% | 32.49% | 37.05% | 33.50% | 32.41% |
| Medical cost per medical patient | | \$623.22 | \$900.70 | \$626.86 | \$660.09 | \$504.94 | \$557.34 |
| Medical cost per medical visit | | \$199.78 | \$258.78 | \$201.01 | \$214.77 | \$170.26 | \$195.85 |
| Dental cost per dental patient | | \$539.45 | \$616.40 | \$394.37 | \$578.26 | \$369.65 | \$537.54 |
| Dental cost per dental visit | | \$209.08 | \$254.24 | \$179.93 | \$227.80 | \$171.19 | \$233.83 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | KS | KY | LA | MA | MD |
| % Uninsured | 10.5% | 22.62% | 32.12% | 13.38% | 15.73% | 13.47% | 20.02% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 30.43% | 45.20% | 60.54% | 50.15% | 46.35% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 91.23% | 81.57% | 94.63% | 86.85% | 88.26% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 42.09% | 21.58% | 67.95% | 69.48% | 69.82% |
| % Hispanic or Latino | 17.6% | 36.27% | 23.94% | 7.41% | 7.86% | 36.03% | 20.83% |
| % Best served in another language | 8.5% | 23.63% | 14.28% | 7.53% | 5.55% | 35.08% | 15.96% |
| % Homeless | 0.2% | 4.98% | 2.10% | 3.37% | 5.40% | 4.45% | 3.92% |
| % Agricultural | 0.8% | 3.51% | 1.93% | 0.50% | 0.44% | 0.86% | 0.41% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 0.88% | 8.19% | 22.52% | 33.41% | 4.41% |
| % School-based | | 2.89% | 1.44% | 6.55% | 7.13% | 1.82% | 3.10% |
| % Veterans | 7.7% | 1.36% | 2.16% | 1.95% | 0.71% | 1.19% | 1.51% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | KS | KY | LA | MA | MD |
| % total patients receiving medical services | | 83.96% | 73.30% | 89.03% | 76.52% | 84.90% | 86.37% |
| % total patients receiving dental services | | 22.57% | 31.41% | 16.16% | 22.36% | 23.41% | 17.00% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.8 | 3.5 | 2.8 | 3.4 | 3.0 |
| % Early access to prenatal care | 77.1% | 73.82% | 66.82% | 82.60% | 76.79% | 80.05% | 73.48% |
| % Low birth weight | 8.3% | 8.00% | 7.48% | 8.85% | 11.80% | 8.05% | 8.20% |
| % Childhood immunizations | | 39.44% | 45.28% | 36.35% | 28.71% | 54.58% | 44.82% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 62.09% | 79.13% | 70.15% | 60.52% | 64.50% |
| % Adult weight screening and follow-up | | 70.15% | 56.65% | 75.27% | 75.08% | 58.31% | 65.59% |
| % Tobacco use screening and cessation services | | 88.09% | 82.53% | 87.63% | 86.96% | 85.19% | 89.38% |
| % Depression screening and follow-up | | 70.57% | 72.43% | 71.18% | 79.19% | 56.16% | 76.69% |
| % Cervical cancer screening | 93%* | 55.95% | 49.88% | 51.84% | 55.27% | 62.55% | 55.27% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 34.30% | 44.21% | 40.81% | 55.62% | 41.66% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% | 86.84% | 84.02% | 92.31% | 84.93% |
| % Controlled hypertension | 61.2%* | 63.26% | 61.11% | 68.67% | 56.60% | 64.80% | 62.02% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 29.90% | 30.63% | 33.93% | 27.43% | 32.63% |
| % Dental sealants | 28.1%* | 52.80% | 49.12% | 42.34% | 63.47% | 49.75% | 69.21% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | KS | KY | LA | MA | MD |
| % growth in total patients | | 4.44% | 8.63% | 6.60% | 4.26% | 2.50% | 2.63% |
| Primary care physicians average years of tenure | | 5.7 | 2.9 | 6.3 | 5.0 | 7.5 | 5.5 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 36.60% | 34.43% | 34.61% | 32.00% | 36.13% |
| Medical cost per medical patient | | \$623.22 | \$489.65 | \$527.02 | \$496.48 | \$775.16 | \$652.72 |
| Medical cost per medical visit | | \$199.78 | \$177.38 | \$152.07 | \$180.50 | \$226.46 | \$219.63 |
| Dental cost per dental patient | | \$539.45 | \$443.63 | \$372.22 | \$426.38 | \$552.14 | \$512.18 |
| Dental cost per dental visit | | \$209.08 | \$220.42 | \$179.15 | \$224.31 | \$180.13 | \$209.69 |

| | National (ACS | | | | | | |
|---|---------------|--------------------|----------|--------------------|--------------------|--------------------|--------------------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | ME | MH | MI | MN | МО |
| % Uninsured | 10.5% | 22.62% | 16.42% | 100.00% | 14.69% | 28.67% | 24.51% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 21.32% | 0.00% | 52.61% | 46.70% | 46.45% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 68.00% | 100.00% | 89.73% | 90.13% | 94.15% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 8.68% | 100.00% | 48.28% | 70.41% | 38.45% |
| % Hispanic or Latino | 17.6% | 36.27% | 2.01% | 0.00% | 14.11% | 27.57% | 8.76% |
| % Best served in another language | 8.5% | 23.63% | 3.36% | 100.00% | 10.12% | 28.95% | 6.06% |
| % Homeless | 0.2% | 4.98% | 3.42% | 0.00% | 6.83% | 4.36% | 3.54% |
| % Agricultural | 0.8% | 3.51% | 1.15% | 0.00% | 1.95% | 1.45% | 0.22% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 2.18% | 0.00% | 56.75% | 10.12% | 16.46% |
| % School-based | | 2.89% | 0.62% | 0.00% | 3.73% | 2.58% | 1.99% |
| % Veterans | 7.7% | 1.36% | 5.77% | 0.00% | 1.98% | 1.58% | 1.85% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | ME | МН | MI | MN | МО |
| % total patients receiving medical services | | 83.96% | 83.11% | 84.07% | 75.90% | 69.52% | 61.12% |
| % total patients receiving dental services | | 22.57% | 23.01% | 34.45% | 31.26% | 37.13% | 42.37% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 3.4 | 3.0 | 3.2 | 2.9 | 2.7 |
| % Early access to prenatal care | 77.1% | 73.82% | 89.28% | 33.50% | 70.56% | 79.77% | 69.29% |
| % Low birth weight | 8.3% | 8.00% | 10.78% | 4.48% | 8.76% | 7.60% | 9.73% |
| % Childhood immunizations | | 39.44% | 38.85% | 0.00% | 37.75% | 43.20% | 26.20% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 55.46% | 48.57% | 60.72% | 66.40% | 65.30% |
| % Adult weight screening and follow-up | | 70.15% | 60.47% | 52.86% | 65.42% | 63.82% | 79.38% |
| % Tobacco use screening and cessation services | | 70.1370 | 00.1770 | 32.0070 | 03.1270 | 03.0270 | 73.3670 |
| _ | | 88.09% | 92.82% | 35.71% | 81.63% | 90.74% | 86.63% |
| % Depression screening and follow-up | | 70.57% | 63.59% | 30.00% | 56.77% | 51.98% | 75.26% |
| % Cervical cancer screening | 93%* | 55.95% | 59.65% | 27.14% | 55.59% | 52.49% | 54.73% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 62.27% | 17.14% | 45.90% | 43.36% | 39.85% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% | | 71.97% | 82.98% | 85.71% |
| % Controlled hypertension | 61.2%* | 63.26% | 69.54% | 50.00% | 62.43% | 60.29% | 60.94% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 19.88% | 71.43% | 31.71% | 31.33% | 31.63% |
| % Dental sealants | 28.1%* | 52.80% | 48.95% | 81.43% | 54.72% | 52.38% | 49.37% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | ME | MH | MI | MN | MO |
| % growth in total patients | | 4.44% | 2.10% | (6.60%) | 0.43% | 0.99% | 3.95% |
| Primary care physicians average years of tenure | | 5.7 | 8.2 | 11.7 | 4.8 | 7.8 | 5.5 |
| Non-clinical/facility/service support FTEs as % of total | | 2F 200/ | 39.63% | 2/1/120/ | 26 770/ | 32 06% | 2/12/10/ |
| FTEs Medical cost per medical patient | | 35.28% \$623.22 | \$683.59 | 24.13% \$161.01 | 36.77% \$630.04 | 33.06% \$671.02 | 34.34% \$551.38 |
| Medical cost per medical visit | | \$199.78 | \$201.22 | \$52.98 | \$198.96 | \$227.50 | \$201.21 |
| Dental cost per dental patient | | \$539.45 | \$532.04 | \$57.77 | \$506.43 | \$604.51 | \$541.93 |
| Dental cost per dental visit | | \$209.08 | \$212.58 | \$45.60 | \$199.08 | \$243.99 | \$249.83 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|-----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | MP | MS | MT | NC | ND |
| % Uninsured | 10.5% | 22.62% | 31.35% | 35.43% | 21.54% | 41.93% | 27.12% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 41.84% | 28.90% | 36.76% | 24.82% | 29.16% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 100.00% | 92.72% | 77.15% | 91.59% | 81.61% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 96.05% | 71.01% | 19.62% | 65.57% | 35.24% |
| % Hispanic or Latino | 17.6% | 36.27% | 0.00% | 5.36% | 6.62% | 30.65% | 5.46% |
| % Best served in another language | 8.5% | 23.63% | 1.29% | 3.67% | 2.36% | 21.30% | 10.14% |
| % Homeless | 0.2% | 4.98% | 0.00% | 4.48% | 4.70% | 3.07% | 4.99% |
| % Agricultural | 0.8% | 3.51% | 0.00% | 0.32% | 3.42% | 7.94% | 0.94% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 0.00% | 34.13% | 5.85% | 19.00% | 0.00% |
| % School-based | | 2.89% | 0.00% | 7.62% | 0.48% | 1.01% | 0.00% |
| % Veterans | 7.7% | 1.36% | 0.00% | 0.92% | 4.64% | 1.45% | 2.15% |
| | National (HP | | | 0.0 = / . | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | MP | MS | MT | NC | ND |
| % total patients receiving medical services | | 83.96% | 100.00% | 89.90% | 80.43% | 82.25% | 65.67% |
| % total patients receiving dental services | | 22.57% | 0.00% | 14.95% | 29.10% | 17.63% | 37.60% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.1 | 2.7 | 2.9 | 2.9 | 2.9 |
| % Early access to prenatal care | 77.1% | 73.82% | 44.12% | 64.02% | 81.81% | 73.02% | 79.46% |
| % Low birth weight | 8.3% | 8.00% | 0.00% | 13.85% | 6.96% | 8.45% | 7.50% |
| % Childhood immunizations | | 39.44% | 59.57% | 44.44% | 26.61% | 57.22% | 46.22% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 92.86% | 58.48% | 55.72% | 70.71% | 48.64% |
| % Adult weight screening and follow-up | | 70.15% | 95.71% | 77.25% | 57.81% | 72.70% | 48.82% |
| % Tobacco use screening and cessation services | | 88.09% | 91.43% | 83.15% | 86.76% | 84.41% | 87.24% |
| % Depression screening and follow-up | | 70.57% | 40.00% | 70.78% | 65.24% | 65.12% | 82.99% |
| % Cervical cancer screening | 93%* | 55.95% | 2.99% | 47.40% | 51.01% | 52.23% | 55.90% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 0.00% | 40.14% | 45.15% | 43.26% | 51.11% |
| % HIV linkage to care | 90%* | 85.55% | | 91.49% | 91.67% | 89.57% | 80.00% |
| % Controlled hypertension | 61.2%* | 63.26% | 27.50% | 58.42% | 63.49% | 62.59% | 62.21% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 63.64% | 33.71% | 28.13% | 30.72% | 26.34% |
| % Dental sealants | 28.1%* | 52.80% | | 49.31% | 48.47% | 43.39% | 41.25% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | MP | MS | MT | NC | ND |
| % growth in total patients | | 4.44% | (21.07%) | 0.41% | 2.25% | 4.42% | (1.95%) |
| Primary care physicians average years of tenure | | 5.7 | 0.3 | 7.6 | 3.9 | 6.0 | 7.4 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 50.00% | 38.02% | 34.41% | 33.60% | 35.84% |
| Medical cost per medical patient | | \$623.22 | \$305.06 | \$437.01 | \$702.40 | \$498.04 | \$687.62 |
| Medical cost per medical visit | | \$199.78 | \$144.93 | \$161.58 | \$242.42 | \$171.09 | \$240.85 |
| Dental cost per dental patient | | \$539.45 | | \$349.95 | \$540.33 | \$540.21 | \$515.26 |
| Dental cost per dental visit | | \$209.08 | | \$177.18 | \$220.69 | \$215.11 | \$224.07 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | NE | NH | NJ | NM | NV |
| % Uninsured | 10.5% | 22.62% | 46.87% | 14.68% | 28.53% | 24.03% | 24.93% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 28.50% | 29.66% | 54.14% | 41.91% | 44.79% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 93.02% | 71.96% | 94.91% | 93.20% | 92.80% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 67.52% | 20.91% | 77.50% | 75.30% | 69.49% |
| % Hispanic or Latino | 17.6% | 36.27% | 47.12% | 10.60% | 46.97% | 62.83% | 48.59% |
| % Best served in another language | 8.5% | 23.63% | 29.79% | 9.31% | 37.27% | 20.31% | 14.52% |
| % Homeless | 0.2% | 4.98% | 6.94% | 7.10% | 5.27% | 5.58% | 7.46% |
| % Agricultural | 0.8% | 3.51% | 1.11% | 0.50% | 2.33% | 6.12% | 3.36% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 2.64% | 0.00% | 13.38% | 0.09% | 0.66% |
| % School-based | | 2.89% | 5.46% | 0.00% | 1.99% | 4.85% | 1.44% |
| % Veterans | 7.7% | 1.36% | 0.75% | 3.09% | 0.81% | 2.26% | 0.64% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | NE | NH | NJ | NM | NV |
| % total patients receiving medical services | | 83.96% | 80.68% | 91.81% | 87.10% | 75.17% | 86.47% |
| % total patients receiving dental services | | 22.57% | 28.69% | 11.16% | 27.60% | 25.29% | 11.83% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.6 | 3.3 | 2.8 | 3.2 | 2.6 |
| % Early access to prenatal care | 77.1% | 73.82% | 77.10% | 83.92% | 69.33% | 72.42% | 80.40% |
| % Low birth weight | 8.3% | 8.00% | 9.00% | 7.97% | 6.10% | 9.54% | 14.05% |
| % Childhood immunizations | | 39.44% | 66.17% | 54.47% | 53.71% | 40.24% | 41.89% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 88.06% | 70.73% | 72.57% | 80.75% | 88.78% |
| % Adult weight screening and follow-up | | 70.15% | 81.06% | 63.49% | 74.53% | 77.45% | 89.20% |
| % Tobacco use screening and cessation services | | 88.09% | 94.21% | 93.38% | 92.29% | 92.82% | 81.73% |
| % Depression screening and follow-up | | 70.57% | 90.34% | 65.54% | 73.94% | 74.17% | 74.38% |
| % Cervical cancer screening | 93%* | 55.95% | 54.71% | 66.15% | 61.91% | 52.99% | 44.93% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 40.99% | 59.18% | 43.65% | 49.30% | 32.85% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% | 100.00% | 82.04% | 71.43% | 95.24% |
| % Controlled hypertension | 61.2%* | 63.26% | 63.29% | 68.34% | 62.89% | 68.23% | 61.14% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 28.60% | 22.72% | 32.28% | 30.78% | 38.42% |
| % Dental sealants | 28.1%* | 52.80% | 75.08% | 55.29% | 48.29% | 53.11% | 54.42% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | NE | NH | NJ | NM | NV |
| % growth in total patients | | 4.44% | 7.71% | 3.77% | 3.85% | 1.14% | 6.40% |
| Primary care physicians average years of tenure | | 5.7 | 4.8 | 9.4 | 5.1 | 5.7 | 2.8 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 30.17% | 36.54% | 39.57% | 34.48% | 38.91% |
| Medical cost per medical patient | | \$623.22 | \$506.84 | \$736.65 | \$470.83 | \$569.93 | \$548.88 |
| Medical cost per medical visit | | \$199.78 | \$196.87 | \$219.95 | \$167.15 | \$175.39 | \$214.54 |
| Dental cost per dental patient | | \$539.45 | \$464.61 | \$665.85 | \$384.91 | \$688.23 | \$773.78 |
| Dental cost per dental visit | | \$209.08 | \$213.87 | \$280.62 | \$158.73 | \$224.89 | \$242.80 |

| | National (ACS | | | | | |
|---|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | 2013-2017, | 2018 UDS | | | | |
| Patient Profile Indicators | etc.) | Nation | NY | ОН | ОК | OR |
| % Uninsured | 10.5% | 22.62% | 15.82% | 14.77% | 29.43% | 19.21% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 55.39% | 53.68% | 33.94% | 55.93% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 89.45% | 92.50% | 92.48% | 89.60% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 77.48% | 41.21% | 48.33% | 41.49% |
| % Hispanic or Latino | 17.6% | 36.27% | 37.58% | 8.80% | 28.72% | 28.39% |
| % Best served in another language | 8.5% | 23.63% | 31.01% | 7.46% | 17.84% | 22.66% |
| % Homeless | 0.2% | 4.98% | 4.48% | 4.19% | 2.50% | 7.85% |
| % Agricultural | 0.070 | 3.51% | 1.07% | 0.57% | 0.45% | 3.97% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 27.90% | 9.12% | 8.51% | 29.57% |
| % School-based | | 2.89% | 3.56% | 3.82% | 0.68% | 8.33% |
| % Veterans | 7.7% | 1.36% | 0.82% | 1.66% | 1.81% | 2.47% |
| | National (HP | 1.50/0 | 0.0270 | 1.0070 | 1.0170 | 2.4770 |
| | 2020, CDC, | 2018 UDS | | | | |
| Quality of Care Indicators | etc.) | Nation | NY | ОН | ОК | OR |
| % total patients receiving medical services | | 83.96% | 83.17% | 77.86% | 89.39% | 77.11% |
| % total patients receiving dental services | | 22.57% | 22.55% | 23.80% | 12.51% | 29.56% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 3.3 | 3.0 | 2.9 | 2.9 |
| % Early access to prenatal care | 77.1% | 73.82% | 79.79% | 72.54% | 77.43% | 76.31% |
| % Low birth weight | 8.3% | 8.00% | 7.53% | 9.29% | 8.94% | 6.70% |
| % Childhood immunizations | | 39.44% | 45.65% | 32.40% | 37.24% | 28.82% |
| % Weight assessment and counseling for children and | | 69.16% | 71.93% | 70.48% | 62.73% | 54.87% |
| adolescents % Adult weight screening and follow-up | | 70.15% | 66.25% | 73.37% | 64.21% | 53.40% |
| | | 70.1370 | 00.2370 | 73.3770 | 04.21/0 | 33.40/0 |
| % Tobacco use screening and cessation services | | 88.09% | 87.58% | 87.25% | 86.03% | 90.57% |
| % Depression screening and follow-up | | 70.57% | 73.95% | 75.82% | 63.70% | 69.27% |
| % Cervical cancer screening | 93%* | 55.95% | 59.68% | 51.01% | 42.43% | 54.86% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 50.24% | 41.66% | 24.74% | 45.55% |
| % HIV linkage to care | 90%* | 85.55% | 89.61% | 70.99% | 60.00% | 85.71% |
| % Controlled hypertension | 61.2%* | 63.26% | 64.61% | 66.27% | 55.17% | 68.15% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 29.59% | 30.24% | 39.06% | 29.66% |
| % Dental sealants | 28.1%* | 52.80% | 47.96% | 68.77% | 39.36% | 43.97% |
| | | 2018 UDS | | | | |
| Service Delivery Indicators | | Nation | NY | ОН | ОК | OR |
| % growth in total patients | | 4.44% | 6.81% | 2.50% | 8.09% | 2.53% |
| Primary care physicians average years of tenure | | 5.7 | 6.3 | 4.7 | 2.8 | 5.3 |
| Non-clinical/facility/service support FTEs as % of total | | 25.2004 | 20.4404 | 22.4004 | | |
| FTEs Medical cost per medical patient | | 35.28% \$623.22 | 36.11% \$743.63 | 32.48% \$537.80 | 35.21% \$501.65 | 35.31% \$986.98 |
| Medical cost per medical visit | | \$199.78 | \$226.19 | \$181.89 | \$173.13 | \$340.44 |
| Dental cost per dental patient | | \$539.45 | \$516.55 | \$456.07 | \$669.53 | \$711.60 |
| Dental cost per dental visit | | \$209.08 | \$199.07 | \$209.19 | \$286.32 | \$283.87 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|---------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | PA | PR | PW | RI | SC |
| % Uninsured | 10.5% | 22.62% | 13.79% | 12.13% | 97.60% | 10.45% | 26.59% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 50.59% | 63.83% | 0.00% | 56.05% | 33.99% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 88.18% | 97.32% | 100.00% | 91.28% | 89.77% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 56.11% | 99.48% | 98.14% | 58.31% | 67.06% |
| % Hispanic or Latino | 17.6% | 36.27% | 18.39% | 99.22% | 0.00% | 40.24% | 13.26% |
| % Best served in another language | 8.5% | 23.63% | 14.24% | 99.42% | 97.98% | 22.57% | 10.13% |
| % Homeless | 0.2% | 4.98% | 3.85% | 2.68% | 0.00% | 2.76% | 3.41% |
| % Agricultural | 0.8% | 3.51% | 0.97% | 1.96% | 0.00% | 0.44% | 2.22% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 16.78% | 21.75% | 0.00% | 32.29% | 13.18% |
| % School-based | | 2.89% | 1.32% | 0.54% | 0.60% | 1.04% | 1.80% |
| % Veterans | 7.7% | 1.36% | 1.56% | 0.41% | 0.00% | 1.21% | 1.44% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | PA | PR | PW | RI | SC |
| % total patients receiving medical services | | 83.96% | 80.28% | 93.32% | 95.84% | 79.48% | 93.05% |
| % total patients receiving dental services | | 22.57% | 25.04% | 12.13% | 20.93% | 34.40% | 9.61% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.7 | 3.5 | 2.1 | 3.4 | 3.1 |
| % Early access to prenatal care | 77.1% | 73.82% | 75.87% | 86.26% | 49.74% | 82.07% | 68.39% |
| % Low birth weight | 8.3% | 8.00% | 8.63% | 10.53% | 13.06% | 8.01% | 10.03% |
| % Childhood immunizations | | 39.44% | 40.22% | 23.99% | 0.00% | 60.61% | 27.93% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 55.45% | 67.79% | 7.14% | 78.81% | 68.48% |
| % Adult weight screening and follow-up | | 70.15% | 62.04% | 85.08% | 4.29% | 84.80% | 71.97% |
| % Tobacco use screening and cessation services | | | | | | | |
| | | 88.09% | 88.57% | 92.25% | 1.87% | 94.97% | 85.63% |
| % Depression screening and follow-up | | 70.57% | 69.73% | 65.78% | 9.66% | 76.65% | 65.39% |
| % Cervical cancer screening | 93%* | 55.95% | 52.08% | 56.65% | 48.97% | 64.11% | 50.78% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 44.23% | 54.47% | 0.00% | 54.98% | 44.88% |
| % HIV linkage to care | 90%* | 85.55% | 77.27% | 90.48% | 0.00% | 40.00% | 89.44% |
| % Controlled hypertension | 61.2%* | 63.26% | 63.14% | 66.73% | 86.94% | 72.42% | 58.36% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 30.79% | 37.07% | 29.72% | 22.91% | 33.92% |
| % Dental sealants | 28.1%* | 52.80% | 39.60% | 38.04% | 5.80% | 50.44% | 41.51% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | PA | PR | PW | RI | SC |
| % growth in total patients | | 4.44% | 1.82% | 9.59% | (8.22%) | 3.99% | 6.08% |
| Primary care physicians average years of tenure | | 5.7 | 7.0 | 6.6 | 6.1 | 6.8 | 6.3 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 38.86% | 39.60% | 39.30% | 34.08% | 38.36% |
| Medical cost per medical patient | | \$623.22 | \$523.93 | \$467.81 | \$90.54 | \$760.45 | \$580.24 |
| Medical cost per medical visit | | \$199.78 | \$193.16 | \$134.88 | \$42.14 | \$224.60 | \$184.36 |
| Dental cost per dental patient | | \$539.45 | \$429.30 | \$267.70 | \$49.73 | \$509.84 | \$525.65 |
| Dental cost per dental visit | | \$209.08 | \$176.71 | \$139.15 | \$24.78 | \$197.68 | \$214.94 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | SD | TN | ТХ | UT | VA |
| % Uninsured | 10.5% | 22.62% | 24.02% | 32.94% | 41.17% | 51.69% | 30.99% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 27.40% | 33.43% | 32.56% | 16.66% | 26.28% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 68.64% | 94.05% | 91.29% | 92.72% | 90.08% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 37.63% | 44.88% | 77.28% | 62.30% | 53.75% |
| % Hispanic or Latino | 17.6% | 36.27% | 11.14% | 12.35% | 58.79% | 47.85% | 17.67% |
| % Best served in another language | 8.5% | 23.63% | 11.05% | 9.31% | 29.26% | 36.66% | 14.70% |
| % Homeless | 0.2% | 4.98% | 3.20% | 5.51% | 5.27% | 4.27% | 3.19% |
| % Agricultural | 0.8% | 3.51% | 0.76% | 1.55% | 1.11% | 4.65% | 2.06% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 0.00% | 12.64% | 19.53% | 0.00% | 0.83% |
| % School-based | | 2.89% | 6.98% | 0.67% | 1.29% | 7.28% | 1.23% |
| % Veterans | 7.7% | 1.36% | 2.75% | 1.75% | 0.89% | 0.77% | 2.38% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | SD | TN | TX | UT | VA |
| % total patients receiving medical services | | 83.96% | 86.86% | 88.84% | 89.84% | 86.49% | 86.80% |
| % total patients receiving dental services | | 22.57% | 22.12% | 9.45% | 15.80% | 15.98% | 19.48% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.6 | 2.7 | 3.0 | 2.7 | 3.0 |
| % Early access to prenatal care | 77.1% | 73.82% | 62.99% | 68.84% | 67.10% | 74.42% | 61.73% |
| % Low birth weight | 8.3% | 8.00% | 5.50% | 9.81% | 8.43% | 6.43% | 8.34% |
| % Childhood immunizations | | 39.44% | 47.58% | 29.33% | 38.94% | 46.13% | 41.37% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 59.19% | 75.40% | 74.65% | 55.59% | 68.10% |
| % Adult weight screening and follow-up | | 70.15% | 62.30% | 75.64% | 73.82% | 60.06% | 67.78% |
| % Tobacco use screening and cessation services | | 88.09% | 89.81% | 90.50% | 89.83% | 85.41% | 91.56% |
| % Depression screening and follow-up | | 70.57% | 69.74% | 81.31% | 74.08% | 61.73% | 67.69% |
| % Cervical cancer screening | 93%* | 55.95% | 53.08% | 50.09% | 57.51% | 47.35% | 48.47% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 45.42% | 37.95% | 35.72% | 28.53% | 41.43% |
| % HIV linkage to care | 90%* | 85.55% | 53.85% | 85.00% | 85.50% | 75.00% | 81.25% |
| % Controlled hypertension | 61.2%* | 63.26% | 65.65% | 60.38% | 60.50% | 61.43% | 62.30% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 31.28% | 30.99% | 37.03% | 36.25% | 29.13% |
| % Dental sealants | 28.1%* | 52.80% | 56.99% | 59.95% | 51.10% | 44.41% | 47.21% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | SD | TN | TX | UT | VA |
| % growth in total patients | | 4.44% | (1.08%) | 0.03% | 4.68% | 5.00% | 3.64% |
| Primary care physicians average years of tenure | | 5.7 | 8.8 | 5.4 | 4.5 | 6.8 | 7.0 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 38.34% | 34.68% | 37.09% | 30.71% | 36.42% |
| Medical cost per medical patient | | \$623.22 | \$614.60 | \$449.37 | \$551.12 | \$468.50 | |
| Medical cost per medical visit | | \$199.78 | \$232.68 | \$163.78 | \$183.71 | \$172.49 | |
| Dental cost per dental patient | | \$539.45 | \$614.25 | \$455.37 | \$525.07 | \$792.63 | |
| Dental cost per dental visit | | \$209.08 | \$245.34 | \$224.00 | \$205.27 | \$274.59 | \$239.75 |

| | National (ACS | | | | | | |
|---|---------------|----------|----------|----------|----------|----------|----------|
| | 2013-2017, | 2018 UDS | | | | | |
| Patient Profile Indicators | etc.) | Nation | VI | VT | WA | WI | wv |
| % Uninsured | 10.5% | 22.62% | 30.74% | 8.21% | 16.57% | 18.39% | 8.25% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 48.45% | 27.63% | 57.59% | 58.52% | 36.05% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 98.52% | 75.98% | 88.59% | 94.13% | 82.39% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 96.71% | 9.17% | 57.39% | 48.75% | 8.70% |
| % Hispanic or Latino | 17.6% | 36.27% | 20.33% | 1.46% | 34.94% | 25.16% | 1.94% |
| % Best served in another language | 8.5% | 23.63% | 10.87% | 1.97% | 25.94% | 18.18% | 1.27% |
| % Homeless | 0.2% | 4.98% | 0.92% | 1.31% | 10.10% | 1.64% | 2.44% |
| % Agricultural | 0.8% | 3.51% | 0.48% | 0.43% | 10.79% | 0.40% | 0.26% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 91.31% | 23.94% | 49.62% | 3.04% | 1.52% |
| % School-based | | 2.89% | 1.02% | 0.10% | 0.94% | 1.45% | 9.81% |
| % Veterans | 7.7% | 1.36% | 1.51% | 3.54% | 2.25% | 1.09% | 2.36% |
| | National (HP | | | | | | |
| | 2020, CDC, | 2018 UDS | | | | | |
| Quality of Care Indicators | etc.) | Nation | VI | VT | WA | WI | WV |
| % total patients receiving medical services | | 83.96% | 77.25% | 86.40% | 78.27% | 54.38% | 91.88% |
| % total patients receiving dental services | | 22.57% | 36.32% | 19.86% | 37.09% | 52.93% | 9.88% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.6 | 3.4 | 2.9 | 3.0 | 3.3 |
| % Early access to prenatal care | 77.1% | 73.82% | 63.68% | 87.47% | 84.28% | 76.89% | 79.05% |
| % Low birth weight | 8.3% | 8.00% | 12.11% | 5.02% | 6.15% | 8.29% | 8.86% |
| % Childhood immunizations | | 39.44% | 0.80% | 46.69% | 48.23% | 46.96% | 30.22% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 62.00% | 52.13% | 63.61% | 57.32% | 61.51% |
| % Adult weight screening and follow-up | | 70.15% | 74.06% | 49.50% | 67.49% | 61.39% | 63.29% |
| % Tobacco use screening and cessation services | | 88.09% | 81.14% | 84.18% | 88.55% | 88.93% | 80.85% |
| % Depression screening and follow-up | | 70.57% | 65.31% | 48.50% | 65.40% | 62.92% | 59.76% |
| % Cervical cancer screening | 93%* | 55.95% | 61.14% | 52.69% | 51.91% | 57.99% | 51.96% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 22.77% | 57.09% | 48.47% | 48.45% | 48.02% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% | 87.50% | 78.23% | 96.67% | 40.91% |
| % Controlled hypertension | 61.2%* | 63.26% | 42.60% | 65.18% | 68.36% | 65.97% | 70.02% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 39.07% | 19.64% | 29.68% | 32.77% | 28.94% |
| % Dental sealants | 28.1%* | 52.80% | 25.83% | 59.05% | 58.30% | 61.76% | 62.23% |
| | | 2018 UDS | | | | | |
| Service Delivery Indicators | | Nation | VI | VT | WA | WI | WV |
| % growth in total patients | | 4.44% | 10.24% | 2.85% | 5.47% | (3.03%) | 2.63% |
| Primary care physicians average years of tenure | | 5.7 | 5.7 | 8.2 | 5.7 | 11.3 | 7.5 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 51.81% | 36.91% | 34.77% | 36.49% | 35.87% |
| Medical cost per medical patient | | \$623.22 | \$894.37 | \$682.40 | \$642.23 | \$641.93 | \$552.85 |
| Medical cost per medical visit | | \$199.78 | \$342.56 | \$200.67 | \$223.36 | \$211.67 | \$168.99 |
| Dental cost per dental patient | | \$539.45 | \$701.21 | \$681.13 | \$593.86 | | |
| Dental cost per dental visit | | \$209.08 | \$332.53 | \$279.09 | \$213.60 | \$254.19 | \$181.11 |

| | National (ACS | | |
|---|---------------|----------|----------|
| | 2013-2017, | 2018 UDS | |
| Patient Profile Indicators | etc.) | Nation | WY |
| % Uninsured | 10.5% | 22.62% | 28.80% |
| % Medicaid/ CHIP/Other Public | 21.8% | 49.37% | 16.19% |
| % Low income (at or below <200% FPG) | 33.2% | 91.33% | 86.48% |
| % Racial and/or ethnic minority | 38.5% | 64.99% | 23.25% |
| % Hispanic or Latino | 17.6% | 36.27% | 13.57% |
| % Best served in another language | 8.5% | 23.63% | 3.06% |
| % Homeless | 0.2% | 4.98% | 7.88% |
| % Agricultural | 0.8% | 3.51% | 0.24% |
| % Served at a Health Center Located In or Immediately Accessible to Public Housing | | 15.55% | 0.00% |
| % School-based | | 2.89% | 0.00% |
| % Veterans | 7.7% | 1.36% | 4.29% |
| | National (HP | 1.5070 | 112370 |
| | 2020, CDC, | 2018 UDS | |
| Quality of Care Indicators | etc.) | Nation | WY |
| % total patients receiving medical services | | 83.96% | 93.58% |
| % total patients receiving dental services | | 22.57% | 9.31% |
| Average medical visits/medical patient (excl.nurses) | | 3.1 | 2.9 |
| % Early access to prenatal care | 77.1% | 73.82% | 66.72% |
| % Low birth weight | 8.3% | 8.00% | 7.48% |
| % Childhood immunizations | | 39.44% | 18.10% |
| % Weight assessment and counseling for children and adolescents | | 69.16% | 12.54% |
| % Adult weight screening and follow-up | | 70.15% | 44.17% |
| % Tobacco use screening and cessation services | | 88.09% | 83.82% |
| % Depression screening and follow-up | | 70.57% | 69.48% |
| % Cervical cancer screening | 93%* | 55.95% | 28.23% |
| % Colorectal cancer screening | 70.5%* | 44.11% | 25.13% |
| % HIV linkage to care | 90%* | 85.55% | 100.00% |
| % Controlled hypertension | 61.2%* | 63.26% | 52.60% |
| % Uncontrolled diabetes | 16.2%* | 32.83% | 44.71% |
| % Dental sealants | 28.1%* | 52.80% | 60.00% |
| | | 2018 UDS | |
| Service Delivery Indicators | | Nation | WY |
| % growth in total patients | | 4.44% | 4.68% |
| Primary care physicians average years of tenure | | 5.7 | 3.3 |
| Non-clinical/facility/service support FTEs as % of total FTEs | | 35.28% | 35.17% |
| Medical cost per medical patient | | \$623.22 | \$643.80 |
| Medical cost per medical visit | | \$199.78 | \$220.28 |
| Dental cost per dental patient | | \$539.45 | \$735.87 |
| Dental cost per dental visit | | \$209.08 | \$278.94 |